



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: C07K 5/08, 5/10, 7/06 C07K 7/10, A61K 37/02	A1	(11) International Publication Number: WO 89/ 01489 (43) International Publication Date: 23 February 1989 (23.02.89)
(21) International Application Number: PCT/AU88/00300 (22) International Filing Date: 10 August 1988 (10.08.88) (31) Priority Application Number: PI 3629 (32) Priority Date: 10 August 1987 (10.08.87) (33) Priority Country: AU (71) Applicant (for all designated States except US): COMMONWEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION [AU/AU]; 14 Limestone Avenue, Campbell, ACT 2601 (AU). (72) Inventor; and (75) Inventor/Applicant (for US only): McAUSLAN, Brian, Richard [AU/AU]; 83 Hudson Parade, Clareville, NSW 2107 (AU). (74) Agent: F.B. RICE & CO.; 28A Montague Street, Balmain, NSW 2041 (AU).		(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US. Published <i>With international search report.</i>
(54) Title: CONTROL OF ANGIOGENESIS AND COMPOSITIONS AND METHODS THEREFOR (57) Abstract Synthetic peptides which are active in stimulating angiogenesis in animals are disclosed. The peptides have sequences substantially corresponding to amino acid sequences that occur in epidermal growth factor. Compositions including these synthetic peptides and a method for the stimulation of angiogenesis in animals are also disclosed.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

- 1 -

"CONTROL OF ANGIOGENESIS AND COMPOSITIONS
AND METHODS THEREFOR"

FIELD OF THE INVENTION

This invention relates to the control of
5 angiogenesis, and to methods and compositions therefor
using synthetic peptides having amino acid sequences
corresponding to sequences found in epidermal growth
factor.

BACKGROUND TO THE INVENTION

10 Angiogenesis is the development of blood vessels.
The identification of agents which will permit control of
angiogenesis is of considerable interest in medical
science and to associated industries; substances which
stimulate angiogenesis may, for instance, have value in
15 promoting wound healing, while inhibitors of angiogenesis
could find application for retarding tumor growth or
blocking the onset of diabetic blindness.

Angiogenic properties are exhibited by a variety of
agents. Thus, the induction of new blood vessel growth or
20 formation of a vascular network is elicited in animals by
agents such as extracts of carcinoma cells or of normal
bovine parotid glands; partially purified fractions of
substances from Walker carcinoma cells, bovine parotid
cells or bovine liver have been shown to be angiogenic by
25 ocular implant and chick chorioallantoic membrane
assays. It has also been shown that low concentrations of
copper ions can induce neovascularisation in the anterior
eye chamber or corneal pocket.

Unfortunately, none of the aforementioned substances
30 are currently acceptable clinically and it is not clear
whether they act directly on the vascular system.

While there is, therefore, a need for angiogenic
agents which are more medically and/or economically
acceptable than those considered hereto, the
35 identification of such agents has been hindered by an

- 2 -

imperfect understanding of the mechanisms of angiogenesis.

Following reports that epidermal growth factor (EGF) provokes angiogenesis, in vitro and in vivo experiments were conducted which confirm this. EGF itself is not, however, an attractive candidate as an angiogenic agent since from natural sources, it is not available in quantities which would meet widespread demand, and being a peptide chain 53 amino acids in length, it has not yet been found possible to synthesize EGF economically on a commercial scale.

DESCRIPTION OF THE INVENTION

It has been established by the inventor that angiogenic activity is exhibited by certain synthetic peptides corresponding in basic structure to fragments (amino acid-sequences) of EGF, which by virtue of their relative shortness present substantially fewer problems of synthesis than the entire EGF molecule.

Accordingly, in one aspect of this invention there is provided a method for stimulating angiogenesis in animals characterised by the step of administering to an animal an effective amount of an angiogenically stimulating synthetic peptide having an amino acid sequence substantially corresponding to an amino acid sequence occurring in EGF, excluding EGF. The term amino acid is to be understood to embrace amino acid substitutes as recognized in the art.

In another aspect, the present invention provides a synthetic peptide, which is active in stimulating angiogenesis in animals, having an amino acid sequence substantially corresponding to an amino acid sequence occurring in epidermal growth factor (EGF), excluding EGF.

In a still further aspect, the present invention provides a composition for use in the stimulation of angiogenesis comprising an effective amount of a synthetic peptide, which is active in stimulating angiogenesis,

- 3 -

having an amino acid sequence substantially corresponding to an amino acid sequence occurring in epidermal growth factor (EGF), excluding EGF, and a pharmaceutically acceptable carrier.

- 5 The active sequences may be identified using a cell migration assay as a screen system, together with an in vivo assay that minimises inflammation. The present inventor has using these techniques, identified synthetic peptide known amino acid sequences that induce
- 10 angiogenesis by a medium involving (or consistent with) direct action on endothelial cells. The amino acid sequence for naturally occurring EGF is shown in Figure 1.

Those sequences identified as active are:

- 3 - 14
- 15 3 - 10
- 12 - 14
- 12 - 15
- 29 - 37
- 33 - 37

- 20 Analogues or derivatives of these sequences, including small sub-fragments are also included in the scope of the invention.

MODES FOR CARRYING OUT THE INVENTION

- In order that the invention may be more readily
- 25 understood reference will now be made to experimental procedures and results.

Identification of Active Sequences

Materials and Methods

Polymer Preparation

- 30 A slow release co-polymer of ethylene-vinyl acetate (Elvax 60; trademark of Polysciences Corp.) was prepared by the method of Langer and Folkman 1977. (Nature 263 797-800).

Endothelial Cells

- A line of capillary endothelial cells free from neural
- 35 cells was prepared from bovine retinas McAuslan et al 1986

(In Vitro Models for Cancer Research. Chemical Rubber Co. Publication).

Cell Migration Assay

The procedures for studying induced endothelial cell migration as well as the quantitation of track area or length were as presented in detail by McAuslan and Reilley 1980 (Exptl Cell Res. 130 147-157).

All peptides were dissolved in serumless medium 199 at 37°C for 3 hours, and were all used at a concentration of 100ng/ml. The experimental medium consisted of M199 and 5% Foetal Calf Serum. Measurements of area and length were made using a Bioquant Image Analysis system, and mean values were computed for 150 cell tracks taken from triplicate dishes.

All cell lines for experimentation were used between the 3rd and 4th passage.

Epidermal Growth Factor was used in the form described by McAuslan 1985 (Cell Biol. Int. Reports 9 175-182). The molecular species were further purified by reverse phase high performance liquid chromatography. EGF fragments were synthesised using a combined chemical-enzyme procedure described by Widmer et al in "Peptides 1984" pp14 Almquist and Wiksell International, Stockholm.

EGF fragments found to be active had the following structures:

Ac (3-10) NH₂ i.e.

Ac. Tyr. Pro. Gly. Cys (ACM). Pro. Ser. Ser. Tyr. NH₂.

Ac (12-14) NH₂ i.e.

H. Gly. Tyr. Cys. (ACM) NH₂.

- 5 -

BOC (12-15) OH i.e.

BOC. Gly. Tyr. Cys. (ACM) Leu. OH.

5 AC (3-14) NH₂ i.e.

Ac. Tyr. Pro. Gly. Cys (ACM). Pro. Ser. Ser. Tyr. Asp.
Gly. Tyr. (ACM). NH₂.

10 (29-37) i.e.

Ac. Tyr. Thr. Gly. Asn. Cys. (ACM). Val. Ile. Gly. Tyr.
Oet.

15 (33-37) i.e.

Bz. Arg. Cys (ACM). Val. Ile. Gly. Tyr. OMe.

Where:

20

Oet = oxyethyl ester.

Ac = acetyl.

25 ACM = aceto amido methyl.

H = free amino group.

BOC = tertiary butyl oxycarbonyl.

30

NH₂ = amide on a carboxyl terminal group.

OMe = oxymethyl ester.

35 OH = free carboxyl terminal.

BZ = benzoyl.

and conventional abbreviations are used for amino acid moieties.

DETERMINATION OF ANGIOGENIC ACTIVITY

Sub-Cutaneous Implant Assay for Angiogenic Activity

5 Fragments (1mm³) of Elvax polymer were impregnated with saturating amounts (0.5mg) of the solid form of test substances. The so-formed pellets were sterilised by ultra-violet irradiation and then imbedded in a gel of non-inflammatory atelo-collagen type I (final pH 6.5, 40mg
10 collagen/ml saline). This in turn was contained in a shallow cylinder of silastic tubing (4 x 3 x 2mm), to provide a slow diffusion of test material to surrounding tissue when the device was implanted sub-cutaneously between dorsal dermal layer and muscle fascia of test NZ
15 white rabbits, in such a way as to cause no trauma to the vascular system. Controls showed no visible inflammatory response and no signs of inducing neovasculogenesis in surrounding tissue.

After 10 days implants were examined in situ, then
20 excised and examined microscopically and histologically.

In the case of certain test materials there was obvious development of a microvascular system which grew from the surrounding tissue towards and often into the implanted device. There was no overt inflammation
25 produced by the test materials.

For each tested substance there were two implants per rabbit, one, on the left and one on the right dorsal side.

Results

The results are presented at Tables 1 and 2.
30 From these results it is evident that the sequences identified have substantial angiogenic activity.

The angiogenic compounds according to this invention may find application in a variety of clinical fields. They may be used, for instance to enhance the healing of
35 burns and wounds (especially those involving tissue

- 7 -

def cts); (ii) to promote the acceptance of skin or organ grafts; (iii) in r constructive and cosmetic surgery (including subdermal implants); and (iv) in prosthetic surgery, particularly where involved in vascular
5 prosthesis.

The compounds may be administered singly, in association with each or in association with angiogenic stimulator in different molecular species. Additionally, they are suitable for release from biodegradable matrices
10 and by slow-release techniques.

- 8 -

TABLE 1Migration Assay

5	Peptide	Mean Area	Mean Length	%
		($\times 10^{-3} \text{ m}^2$)	(m)	Increase
10	Ac (3-10)NH ₂	54.3	327	87
	BOC (12-15) OH	54.3	329	87
	Ac (3-14) NH ₂	48.5	304	67
	Ac (12-14)NH ₂	35.0	302	50
	(29-37)	48.5	307	68
15	(33-37)	52.6	319	76
	EGF _c	86.2	508	200
	CONTROL	28.5	213	0
20				

TABLE 2

In Vivo Angiogenesis

5	Peptide	Number of Implants/Intensity of Vascularisation.				
		++++	+++	++	+	-
	CONTROL	0	0	1	1	10
	EGF _c	5	4	3	0	4
10	Ac (3-14) NH ₂	4	5	1	1	1
	Ac (3-10) NH ₂	4	2	0	0	0
	Act (12-14) NH ₂	2	1	4	0	5
	BOC (12-15) OH	0	2	2	0	2
	(29-37)	0	2	1	1	2
15	(33-37)	0	2	2	1	1

Intensity of Vascularisation:


20	++++ (1)	Large numbers of distinct capillary vessels invading the gel; numerous blood vessels growing towards the tube. Markedly angiogenic.
25	+++ (1)	Fine blood vessels invading the gel. Less intense than above. Fine blood vessels around the silicon tube. Strongly angiogenic.
30	++ (1)	Slight pink around the periphery of the gel due to few fine capillaries; fine blood vessels around the silicon tube. Weakly angiogenic.
	+	(1) Collagen gel unchanged.
		(2) Fine blood vessels growing toward the silicon tube. Incipient angiogenesis.
35	-	(1) Collagen gel unchanged. No blood vessels around the silicon tube. Non-angiogenic.

CLAIMS

1. A synthetic peptide, which is active in stimulating angiogenesis in animals, having an amino acid sequence substantially corresponding to an amino acid sequence occurring in epidermal growth factor (EGF), excluding EGF.
2. A peptide as in claim 1 and having the sequence Ac. Tyr. Pro. Gly. Cys (ACM). Pro. Ser. Ser. Tyr. NH₂.
3. A peptide as in claim 1 and having the sequence H. Gly. Tyr. Cys. (ACM) NH₂.
4. A peptide as in claim 1 and having the sequence BOC. Gly. Tyr. Cys. (ACM) Leu. OH.
5. A peptide as in claim 1 and having the sequence Ac. Tyr. Pro. Gly. Cys (ACM). Pro. Ser. Ser. Tyr. Asp. Gly. Tyr. (ACM). NH₂.
6. A peptide as in claim 1 and having the sequence Ac. Tyr. Thr. Gly. Asn. Cys. (ACM). Val. Ile. Gly. Tyr. Oet.
7. A peptide as in claim 1 and having the sequence Bz. Arg. Cys (ACM). Val. Ile. Gly. Tyr. OMe.
8. A composition for use in the stimulation of angiogenesis comprising an effective amount of a synthetic peptide as claimed in any one of claims 1 to 7 and a pharmaceutically acceptable carrier.
9. A composition as in claim 8 including an angiogenic stimulating compound of a different molecular species.
10. A composition as in claim 8 or claim 9 in the form of a slow release composition.
11. A method for stimulating angiogenesis in animals characterized by the step of administering to an animal an effective amount of synthetic peptide as claimed in any one of claims 1 to 7.
12. A method for stimulating angiogenesis in animals characterized by the step of administering to an animal an effective amount of a composition as claimed in claim 8 or claim 9 or claim 10.

1/1

FIG. 1



INTERNATIONAL SEARCH REPORT

International Application No. **PCT/AU 88/00300**

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) * According to International Patent Classification (IPC) or to both National Classification and IPC Int. Cl. ⁴ C07K 5/08, 5/10, 7/06, 7/10, A61K 37/02																													
II. FIELDS SEARCHED Minimum Documentation Searched * <table style="width: 100%; border: none;"> <tr> <td style="width: 20%; border: 1px solid black; padding: 5px;">Classification System</td> <td style="border: 1px solid black; padding: 5px;">Classification Symbols</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">IPC</td> <td style="border: 1px solid black; padding: 5px;">WPI, WPIL, USPA : Keywords : "EPIDERMAL GROWTH FACTOR" (Derwent Database)</td> </tr> </table>			Classification System	Classification Symbols	IPC	WPI, WPIL, USPA : Keywords : "EPIDERMAL GROWTH FACTOR" (Derwent Database)																							
Classification System	Classification Symbols																												
IPC	WPI, WPIL, USPA : Keywords : "EPIDERMAL GROWTH FACTOR" (Derwent Database)																												
Documentation Searched other than Minimum Documentation to the extent that such Documents are included in the Fields Searched * AU: IPC as above. GenBank, Kyoto, EMBL, NBRF Databases Chemical Abstracts: 1983-1988: Molecular and Molecular Fragment Formulas																													
III. DOCUMENTS CONSIDERED TO BE RELEVANT * <table style="width: 100%; border: none;"> <tr> <th style="width: 10%; border: 1px solid black; padding: 5px;">Category *</th> <th style="width: 70%; border: 1px solid black; padding: 5px;">Citation of Document, ** with indication, where appropriate, of the relevant passages **</th> <th style="width: 20%; border: 1px solid black; padding: 5px;">Relevant to Claim No. **</th> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">P, X</td> <td style="border: 1px solid black; padding: 5px;">US, A, 4743679 (COHEN, C.M. and R. CREA) 10 May 1988 (10.05.88)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1)</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">P, X</td> <td style="border: 1px solid black; padding: 5px;">Derwent WPI/L Online Abstract Accession no. 88-136324/20, JP, A, 63-077823 (FUJISAWA PHARM K.K.) 8 April 1988 (08.04.88)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1)</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">P, X</td> <td style="border: 1px solid black; padding: 5px;">Derwent WPI/L Online Abstract Accession no. 88-046257/07, JP, A, 63-003791 (HITACHI K.K. and HITACHI CHEMICAL K.K.) 8 January 1988 (08.01.88)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1)</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">P, X</td> <td style="border: 1px solid black; padding: 5px;">US, A, 4686283 (NESTOR, Jr., J.J. and A.B. SCHREIBER) 11 August 1987 (11.08.87)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1)</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">X</td> <td style="border: 1px solid black; padding: 5px;">Patent Abstracts of Japan, C-470, page 12, JP, A, 62-17402 (WAKUNAGA PHARMACEUT CO LTD; KAKIMOTO, M.) 30 July 1987 (30.07.87)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1,8,10)</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">X</td> <td style="border: 1px solid black; padding: 5px;">Patent Abstracts of Japan, C-463, page 118, JP, A, 62-149622 (WAKUNAGA PHARMACEUT CO LTD; UDA, N.) 3 July 1987 (03.07.87)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1,8,10)</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">X</td> <td style="border: 1px solid black; padding: 5px;">EP, A, 224885 (WAKUNAGA SEIYAKU KABUSHIKI KAISHA; AMAGASE, H. et al) 10 June 1987 (10.06.87)</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">(1,8)</td> </tr> <tr> <td colspan="3" style="border: 1px solid black; padding: 5px; text-align: center;">(continued)</td> </tr> </table>			Category *	Citation of Document, ** with indication, where appropriate, of the relevant passages **	Relevant to Claim No. **	P, X	US, A, 4743679 (COHEN, C.M. and R. CREA) 10 May 1988 (10.05.88)	(1)	P, X	Derwent WPI/L Online Abstract Accession no. 88-136324/20, JP, A, 63-077823 (FUJISAWA PHARM K.K.) 8 April 1988 (08.04.88)	(1)	P, X	Derwent WPI/L Online Abstract Accession no. 88-046257/07, JP, A, 63-003791 (HITACHI K.K. and HITACHI CHEMICAL K.K.) 8 January 1988 (08.01.88)	(1)	P, X	US, A, 4686283 (NESTOR, Jr., J.J. and A.B. SCHREIBER) 11 August 1987 (11.08.87)	(1)	X	Patent Abstracts of Japan, C-470, page 12, JP, A, 62-17402 (WAKUNAGA PHARMACEUT CO LTD; KAKIMOTO, M.) 30 July 1987 (30.07.87)	(1,8,10)	X	Patent Abstracts of Japan, C-463, page 118, JP, A, 62-149622 (WAKUNAGA PHARMACEUT CO LTD; UDA, N.) 3 July 1987 (03.07.87)	(1,8,10)	X	EP, A, 224885 (WAKUNAGA SEIYAKU KABUSHIKI KAISHA; AMAGASE, H. et al) 10 June 1987 (10.06.87)	(1,8)	(continued)		
Category *	Citation of Document, ** with indication, where appropriate, of the relevant passages **	Relevant to Claim No. **																											
P, X	US, A, 4743679 (COHEN, C.M. and R. CREA) 10 May 1988 (10.05.88)	(1)																											
P, X	Derwent WPI/L Online Abstract Accession no. 88-136324/20, JP, A, 63-077823 (FUJISAWA PHARM K.K.) 8 April 1988 (08.04.88)	(1)																											
P, X	Derwent WPI/L Online Abstract Accession no. 88-046257/07, JP, A, 63-003791 (HITACHI K.K. and HITACHI CHEMICAL K.K.) 8 January 1988 (08.01.88)	(1)																											
P, X	US, A, 4686283 (NESTOR, Jr., J.J. and A.B. SCHREIBER) 11 August 1987 (11.08.87)	(1)																											
X	Patent Abstracts of Japan, C-470, page 12, JP, A, 62-17402 (WAKUNAGA PHARMACEUT CO LTD; KAKIMOTO, M.) 30 July 1987 (30.07.87)	(1,8,10)																											
X	Patent Abstracts of Japan, C-463, page 118, JP, A, 62-149622 (WAKUNAGA PHARMACEUT CO LTD; UDA, N.) 3 July 1987 (03.07.87)	(1,8,10)																											
X	EP, A, 224885 (WAKUNAGA SEIYAKU KABUSHIKI KAISHA; AMAGASE, H. et al) 10 June 1987 (10.06.87)	(1,8)																											
(continued)																													
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: **</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p> </div> </div>																													
IV. CERTIFICATION <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: 1px solid black; padding: 5px;"> Date of the Actual Completion of the International Search 16 November 1988 (16.11.88) </td> <td style="width: 50%; border: 1px solid black; padding: 5px;"> Date of Mailing of this International Search Report 24 NOVEMBER 1988 (24.11.88) </td> </tr> <tr> <td style="border: 1px solid black; padding: 5px;"> International Searching Authority Australian Patent Office </td> <td style="border: 1px solid black; padding: 5px;"> Signature of Authorized Officer J.H. CHAN </td> </tr> </table>			Date of the Actual Completion of the International Search 16 November 1988 (16.11.88)	Date of Mailing of this International Search Report 24 NOVEMBER 1988 (24.11.88)	International Searching Authority Australian Patent Office	Signature of Authorized Officer J.H. CHAN																							
Date of the Actual Completion of the International Search 16 November 1988 (16.11.88)	Date of Mailing of this International Search Report 24 NOVEMBER 1988 (24.11.88)																												
International Searching Authority Australian Patent Office	Signature of Authorized Officer J.H. CHAN																												

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET

X	EP,A, 205051 (ZAMBON S.P.A.; GAZZANIGA, A. et al) 17 December 1986 (17.12.86)	(1,8)
X	AU,A, 34390/84 (KOMORIYA, A. et al) 28 March 1985 (28.03.85)	(1,8,10)
X	WO,A, 8500369 (CHIRON CORPORATION; BELL, G.) 31 January 1985 (31.01.85)	(1)
X	US,A, 4490365 (PANARETTO, B.A. et al) 25 December 1984 (25.12.84)	(1)
X	Patent Abstracts of Japan, C-225, page 70, JP,A, 59-27858 (NIPPON SHINYAKU K.K.; YAJIMA, H.) 14 February 1984 (14.02.84)	(1)

(continued)

V. ☐ OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE

This International search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons:

1. ☒ Claim numbers 11&12, because they relate to subject matter not required to be searched by this Authority, namely:

they are excluded subject matter under Rule 39, that is methods of treatment of the animal body.

2. ☒ Claim numbers 1, because they relate to parts of the International application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

the claim as drafted is speculative with regard to the term synthetic peptide. Therefore the search was performed on the compounds defined by claims 2 to 7 with regards to Chemical Abstracts.

3. ☐ Claim numbers _____, because they are dependent claims and are not drafted in accordance with the second and third sentences of PCT Rule 6.4(s).

VI. ☐ OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This International Searching Authority found multiple inventions in this International application as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims of the international application.
2. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:
3. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claim numbers:
4. ☐ As all searchable claims could be searched without effort justifying an additional fee, the International Searching Authority did not invite payment of any additional fee.

Remark on Protest

- ☐ The additional search fees were accompanied by applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category*	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
X	US,A, 3948875 (COHEN, S. et al) 6 April 1976 (06.04.76)	(1)
X	US,A, 3917824 (CAMBLE, R. et al) 4 November 1975 (04.11.75)	(1,8)

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON
INTERNATIONAL APPLICATION NO. PCT/AU 88/00300

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Members			
US	4743679	AU 69011/87	EP	234888	JP 62246600
EP	224885	JP 63107941	JP	63099017	
EP	205051	JP 62000027			
AU	34390/84	WO 8501284	EP	156899	IL 69719
WO	8500369	EP 148922			
US	4490365	ES 504434 FR 2487677 TR 21384	ES 8304922 GB 2082186 ZA 8105349	ES 519233 NZ 197903 AU 73659/81	
US	3917824	AU 65949/74 DE 2415101 IL 44288	BE 812973 FR 2223033 ZA 7401050	CA 1026673 GB 1417776	

END OF ANNEX